




# VIDEO SUMMER SALE

Discounts of up to 53%



# SUMMER SALE

|                                                                                     | PART NUMBER     | DESCRIPTION                                                                                                                                                                           | DISCOUNT   |
|-------------------------------------------------------------------------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>IP CAMERAS &amp; NVR'S</b>                                                       |                 |                                                                                                                                                                                       |            |
|    | <b>H4W4GR1</b>  | Network TDN Low-Light IR Rugged Dome Camera, 1/2.7" CMOS, 4 MP, 2.7-12 mm MFZ, 3 IR LEDs, PoE+, H.264                                                                                 | <b>53%</b> |
|    | <b>HED1PR3</b>  | 1.3MP/720P 2.8MM IR IN/OUT TDN BALL                                                                                                                                                   | <b>42%</b> |
|     | <b>HBD1PR1</b>  | IP BULLET CAMERA, 1.3 MP, H.264, IR, TDN, 3.6 mm, PoE / 12V DC, IP66                                                                                                                  | <b>40%</b> |
|    | <b>HEW4PR2</b>  | 4MP WDR MFZ IP Eyeball, IR,H.265 Smart Codec, PoE, IP66, grey                                                                                                                         | <b>32%</b> |
|     | <b>HBW2GR3</b>  | Network TDN Low-Light IR Bullet Camera, 1/2.7" CMOS, 2 MP, 5-50 mm MFZ, 4 IR LEDs, PoE+, H.264                                                                                        | <b>30%</b> |
|     | <b>HBW2PR2</b>  | 2 MP True Day / Night, WDR, Smart IR, Indoor/Outdoor Bullet, PoE 802.3af or 12 V DC, IP66 rated, 2.7-12 mm Motorized Focus/Zoom lens                                                  | <b>27%</b> |
|   | <b>HEW2PR1</b>  | 2 MP True Day / Night, WDR, Smart IR, Indoor/Outdoor, Black Housing Ball PoE 802.3af or 12 V DC, IP66 rated, 3.6 mm fixed lens                                                        | <b>25%</b> |
|  | <b>H2W2PRV3</b> | 2 MP True Day / Night, WDR, Smart IR, Indoor/Outdoor Micro Dome, PoE 802.3af or 12 V DC, IP66 rated IK10 vandal resistant, 2.8 mm fixed lens                                          | <b>22%</b> |
|  | <b>HDZ302D</b>  | Network TDN PTZ 5" Indoor/Outdoor Dome, 1080p Resolution, 30x Zoom, WDR, H.265/H.264, NTSC/PAL, IK10, IP66, micro SD Card Compatible (Supports up to 128 GB cards, card not included) | <b>22%</b> |
|  | <b>HEW2PRW1</b> | 2 MP True Day / Night, WDR, Smart IR, Indoor/Outdoor, White Housing, Ball PoE 802.3af or 12 V DC, IP66 rated, 3.6 mm fixed lens                                                       | <b>21%</b> |
|  | <b>HEW2PR2</b>  | 2 MP True Day / Night, WDR, Smart IR, Indoor/Outdoor, Black Housing, Ball PoE 802.3af or 12 V DC, IP66 rated, 2.7-12 mm Motorized Focus/Zoom lens                                     | <b>20%</b> |
|   | <b>H4W8PR2</b>  | Network WDR 8MP IR Rugged Mini Dome Camera, 1/2.8" CMOS, 3.7mm~11mm Motorized, 2 IR LEDs, PoE, IP66, H.265/H.264/ Smart Codec                                                         | <b>10%</b> |
|   | <b>HBD2PER1</b> | Network TDN 1080p IR Bullet Camera, 1/2.9" CMOS, 3.6 mm Fixed, 18 IR LEDs, PoE, H.265+                                                                                                | <b>10%</b> |
|   | <b>HBW8PR2</b>  | Network WDR 8MP IR Bullet Camera, 1/2" CMOS, 3.7mm~11mm Motorized, 4 IR LEDs, PoE, IP66, H.265/H.264/Smart Codec                                                                      | <b>10%</b> |
|   | <b>HEN16304</b> | NVR, 16-Channel, H.265, 4K 12 MP, 2U, 8 SATA, 16 PoE, 480 fps, 0 TB                                                                                                                   | <b>10%</b> |
|  | <b>H2W2PER3</b> | Network WDR 2MP IR Micro Dome Camera, 1/2.8" CMOS, 2.8mm Fixed, 10 IR LEDs, PoE, IP66, H.265/H.264/Smart Codec                                                                        | <b>10%</b> |
|  | <b>H4W2PER2</b> | Network WDR 2MP IR Rugged Mini Dome Camera, 1/2.8" CMOS, 2.7mm~13.5mm Motorized, 2 IR LEDs, PoE, IP66, H.265/H.264/Smart Codec                                                        | <b>10%</b> |

|                                                                                     | PART NUMBER      | DESCRIPTION                                                                                                                                                       | DISCOUNT   |
|-------------------------------------------------------------------------------------|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
|    | <b>H4W2PER3</b>  | Network WDR 1080P IR Rugged Mini Dome Camera, 1/2.8" CMOS, 2.8mm Fixed, 24 IR LEDs, PoE, IP66, H.265/H.264/Smart Codec                                            | <b>10%</b> |
|     | <b>HBW2PER1</b>  | Network WDR 2MP IR Bullet Camera, 1/2.8" CMOS, 3.6mm Fixed, 18 IR LEDs, PoE, IP66, H.265/H.264/Smart Codec                                                        | <b>10%</b> |
|     | <b>HBW2PER2</b>  | Network WDR 2MP IR Bullet Camera, 1/2.8" CMOS, 2.7mm~13.5mm Motorized, 4 IR LEDs, PoE, IP66, H.265/H.264/Smart Codec                                              | <b>10%</b> |
|    | <b>HED2PER3</b>  | Network TDN 1080p IR Ball Camera, 1/3" CMOS, 2.8 mm Fixed, 12 IR LEDs, PoE, H.265+                                                                                | <b>10%</b> |
|    | <b>HEW2PER2</b>  | Network WDR 2MP IR Ball Camera, 1/2.8" CMOS, 2.7mm~13.5mm Motorized, 2 IR LEDs, PoE, IP66, H.265/H.264/Smart Codec, White                                         | <b>10%</b> |
|    | <b>HEW2PER3</b>  | Network WDR 2MP IR Ball Camera, 1/2.8" CMOS, 2.8mm Fixed, 1 IR LED, PoE, IP66, H.265/H.264/Smart Codec, White                                                     | <b>10%</b> |
| <b>HQA (HD OVER COAX) CAMERAS AND DVR'S</b>                                         |                  |                                                                                                                                                                   |            |
|    | <b>HD42XD2</b>   | TDN Full HD IR Rugged Dome Camera, 1/2.8" CMOS, 1080p 25/30 fps, 2.7-13.5 mm MFZ lens, 2 IR LEDs, 12 VDC, 120 dB True WDR, IK10, IP67, Off-White (HQA/TVI/AHD/SD) | <b>25%</b> |
|    | <b>HPXD2</b>     | WDR 1080p Pin-hole Camera, 1/2.8" 2.1 MP CMOS, 2.8 mm Lens, 12 VDC HQA-CVI / TVI / AHD / SD                                                                       | <b>20%</b> |
|   | <b>H4D42HD8</b>  | WDR 4K (8MP) IR MFZ Rugged Dome Camera, 1/2" CMOS, 3.7-11 mm MFZ Lens, 2 High Power IR LEDs, 12 VDC/24VAC, IP66, IK10, HQA-CVI / TVI / AHD / SD                   | <b>18%</b> |
|   | <b>HBD42HD8</b>  | WDR 4K (8MP) IR Bullet Camera, 1/2" CMOS, 3.7-11 mm MFZ Lens, 4 IR LEDs, 12 VDC/24 VAC, IP66, HQA-CVI / TVI / AHD / SD                                            | <b>18%</b> |
|  | <b>HFD40HD4</b>  | WDR 4MP Fisheye Camera, 1/3" CMOS, 1.18 mm fixed Lens, 12 VDC, IP66, IK10 HQA-CVI and SD output                                                                   | <b>17%</b> |
|   | <b>HB74HD4</b>   | BULLET,4MP HQA,IR,3.6MM,12VDC,IP66,PAL                                                                                                                            | <b>17%</b> |
|  | <b>HE42XD2G</b>  | TDN Full HD IR Indoor/Outdoor Ball Camera, 1/2.8" CMOS, 1080p 25/30 fps, 2.7-13.5 mm MFZ lens, 2 IR LEDs, 12 VDC, 120 dB True WDR, IP67, Gray (HQA/TVI/AHD/SD )   | <b>10%</b> |
|  | <b>HDZP30XD4</b> | HQA TDN Full HD IR Indoor/Outdoor PTZ Dome Camera, 30x Zoom, 1/3" CMOS, 1080p 25/30 fps, 4.5-135 mm lens, 4 IR LEDs, 24 VAC, 120 dB True WDR, IP66, Off-White     | <b>10%</b> |
|   | <b>HB276HD4</b>  | Bullet Camera, 4MP HQA, IR, 2.7-12 mm, MFZ, 12 VDC / 24 VAC ,IP66, PAL                                                                                            | <b>10%</b> |
|   | <b>HRHT4080</b>  | 8ch 4MP 100fps HQA or 1080p 200fps HQA/SD/IP DVR, 2SATA, No HDD                                                                                                   | <b>10%</b> |
|  | <b>HD30HD4</b>   | Ball Camera, 4MP HQA, IR, 3.6 mm, 12 VDC, PAL                                                                                                                     | <b>10%</b> |
|  | <b>HB30THD2</b>  | TDN 1080p (2MP) IR Temperature & Humidity Bullet Camera, 1/2.9" 2 MP CMOS, 3.6 mm Lens, 12 IR LEDs, 12VDC, IP66, HQA only (1080p or 720p)                         | <b>10%</b> |
|   | <b>HB30XD2</b>   | TDN Full HD IR Indoor/Outdoor Bullet Camera, 1/2.9" CMOS, 1080p 25/30 fps, 3.6 mm fixed lens, 18 IR LEDs, 12 VDC, DWDR, IP67, Off-White (HQA/TVI/AHD/SD)          | <b>10%</b> |
|  | <b>HD72HD4</b>   | Vandal Dome, 4MP HQA, IR, 3.6 mm, 12 VDC, PAL, IK10                                                                                                               | <b>10%</b> |

|                                                                                     | PART NUMBER      | DESCRIPTION                                                                                                                                | DISCOUNT   |
|-------------------------------------------------------------------------------------|------------------|--------------------------------------------------------------------------------------------------------------------------------------------|------------|
|    | <b>HB30PHD2</b>  | TDN 1080p (2MP) IR/PIR Bullet Camera, 1/2.8" CMOS, 2.8mm Lens, 1 IR LED, 12 VDC, IP66, HQA only (1080p or 720p)                            | <b>10%</b> |
|     | <b>HRHQ1040</b>  | 4-Channel, 1 SATA, 720p @ 120 fps, 1080p @ 60 fps, alarm 4/3 input/output, 0 TB, 12 VDC                                                    | <b>10%</b> |
|     | <b>HRHT4040</b>  | 4ch 4MP 50fps HQA or 1080p 100fps HQA/SD/IP DVR, 1SATA, No HDD                                                                             | <b>10%</b> |
| <b>ANALOGUE</b>                                                                     |                  |                                                                                                                                            |            |
|    | <b>HD41HX</b>    | Analogue Mini Dome Int Col 700L 2.8-12MM                                                                                                   | <b>17%</b> |
| <b>BRACKETS &amp; ACCESSORIES</b>                                                   |                  |                                                                                                                                            |            |
|    | <b>AVH530SH5</b> | Housing, 110-240VAC, Aluminium, Integral Scratch Resistant Polycarbonate Window, Sunshield, Engineer Friendly Opening, IP66 (W90,H60,L300) | <b>17%</b> |
|    | <b>H4G-PK</b>    | Pendent Mount Bracket EquiP H4                                                                                                             | <b>10%</b> |
|    | <b>HBC5WT-2</b>  | Box Camera Wall Mount                                                                                                                      | <b>10%</b> |
|   | <b>HDZBSPPA</b>  | 1.5 Inch G Adapter                                                                                                                         | <b>10%</b> |
|  | <b>HQA-BB1</b>   | Junction Box Off-White                                                                                                                     | <b>10%</b> |
|  | <b>HQA-BB2G</b>  | Junction Box 4" for Perf IP Camera Gray                                                                                                    | <b>10%</b> |
|  | <b>HQA-WK2</b>   | Wall Mount Bracket 2" Dome & IR Ball Perf                                                                                                  | <b>10%</b> |
|  | <b>HQA-WK2G</b>  | H4G Outdoor Dome Wall Mount Bracket Gray                                                                                                   | <b>10%</b> |

To view our full range of Video solutions, visit:

[http://www.honeywellvideosystems.com/multimedia/cameras\\_nvrs](http://www.honeywellvideosystems.com/multimedia/cameras_nvrs)

**FOR FURTHER INFORMATION OR TO PLACE YOUR ORDER, PLEASE CONTACT YOUR LOCAL **ALARM SUPPLIES SALES REPRESENTATIVE TODAY!****